





Makes Boating More Enjoyable!



Gullsweep® has been used by boaters around the world (for more than 40 years) to ward off flying critters that love to mess on your boat. And it does the job!





Many Gullsweep® Models To Choose From!

GS-1: Our most popular model. Easy bottom mounting (see mounting

options inside.) Has two 3' arms for a 6' rotating diameter.

GS-1L: Our largest Gullsweep. Arms are 4' for a 8' rotating diameter.

Designed for heavy-duty applications. To be used only when there's sufficient space. Not as easy to install or store as the GS-1.

GS-15: Same as above, but arms are 2' each for a 4' rotating diameter.

GS-1 Mini: Same as GS-1, but arms are 1' each for a 2' rotating diameter.

With a $5\frac{1}{2}$ " x $5\frac{1}{2}$ " mounting base for table-tops or to put on display.

HGS-1: Similar to GS-1, however it hangs from a 30" center support rod,

instead of bottom mounting.

HGS-1L: Same as HGS-1, but with 4' arms, for a 8' rotating diameter.

HGS-1S: Same as HGS-1, but with 2' arms, for a 4' rotating diameter.

REMEMBER ALL GULLSWEEPS ARE POWERED BY THE WIND.

Convenient Easy Hang Display Packaging

This hanging header (shown to the right) is a packaged Gullsweep®. Each Gullsweep® is pre-packaged in a colorful 4½" x 39" self-selling, see-through plastic, hanging enclosure. The actual Gullsweep is included behind this header.



MOUNTING OPTIONS

WHATEVER THE SITUATION, THERE IS A GULLSWEEP® MOUNTING TO DO THE JOB!



Rail Mount

Place vice clamp over railing & tighten so it is vertical to the rail. For rail of 1.5/8".

Small Rail Mount

Place vice clamp over railing & tighten so it is vertical to the rail. For rail of 1" or less.





Adapter Bracket

Used on any Gullsweep® mounting to adjust the center mounting pin to a vertical position.

Angle Mounting

Used on any Gullsweep® mounting to adjust the center mounting pin to an angled position.





Sailboat Boom

Designed like a saddle to fit over any boom or bimini bundle. Each diameter is different (so rope is not included). Wrap around the boom, a minimum of two times.

Flex Mounting

For situations where one does not want to put a hole in the canvas to mount. Sand-filled. Also available without sand (model GS-FMNS) which saves 2½ pounds.





Windshield Bracket

Designed to mount on a windshield divider forward of a bimini or other permanent location.

Through Canvas

U-Bolt type - Best for boats with canvas or nylon top for a permanent mount.






Rod Holder Adapter

Easy temporary mounting. Most boats have rod holders or rocket launchers on the T-top which are perfect for mounting a Gullsweep! Fits up to 15/8" diameter.

Retainer Kit

Slip on to the Gullsweep mounting pin & add retainer ring. Gullsweep can not fall off pin.




Note: the stainless steel center pin (GS-6) is not included with any of the mounting.

MANY GULLSWEEP MODELS AVAILABLE

IF YOU HAVE SPECIAL REQUIREMENTS, LET US KNOW WHAT YOU NEED!


How Big is a Big Gullsweep (GS-1L)?

About 25% taller than a tall Boater (6') & About 25% Wider than a Big Boater's Reach!



Replacement Parts

Are Interchangeable With Older Gullsweep® Models!




O, LLT O	O KNOW WHAT TOO NEED.
Gullsweeps	
GS-1	Standard Gullsweep. 3' arms, 6' diameter
GS-1L	Gullsweep with Longer arms, 4' arms, 8' diameter
GS-1S	Gullsweep with Shorter arms, 2' arms, 4' diameter
GS-1	Gullsweep mini display or for tabletops
mini	1' arms for 2' diameter
HGS-1	Hanging Gullsweep. 3' arms, 6' diameter
HGS-1L	Hanging Gullsweep with Longer arms, 4' arms, 8' diameter
Gullsweep Mounting Options	
GS-7	U-Bolt through canvas kit - or rail mount 1" dia.
GS-7B	90° Angle Bracket for Rail Mount - GS-7B adjust center pin so it's vertical to water
GS-AB	Adapter Bracket - to adjust center pin to vertical, can be used on GS-4 (bend to suit)
GS-WB	Stainless Steel Bracket for windshield mounting (bend bracket, to suit angle)
GS-FM	Flex Mounting - Non-Permanent, 8"x 23" sand bag type with 4 loops
GS-FMNS	Flex Mounting - Non-Permanent, 8"x 23, with 4 loops without sand, has velcro seal so sand can be inserted in field
GS-SBB	Sailboat Boom - Non-Permanent to fit over any boom or bimini bundle
GS-RM	Rail Mounting - Non-Permanent for pipe up to 1-5/8" dia.
GS-SRM	Rail Mounting - Non-Permanent for pipe up to 1 " dia.
GS-RH	Rod Holder Adapter - Non-Permanent insert in rod holder
GS-CP	Plastic adapter for top of existing canvas support pole with 3/8" pin (pin included with GS-1). Through canvas
GS-RK	Retainer Kit - SS Retainer Spring & push-on Ring
STANDARD REPLACEMENT PARTS	
CODE	PARTS
GS-3	Center Hub Replacement
GS-4	Black Base - Mounting Block & Screws
GS-4W	White Base - Mounting Block & Screws
GS-6	Swivel Pin Replacement - Stainless Steel, Standard Size 5-1/2" long
GS-8	Vane Set Replacement (2)
GS-11	Arm/Rod Set Replacement, 6' dia. (2) 3' long'
Optional Replacement Parts	
GS-11S	Arm/Rod Set Replacement, 4' dia. (2) - 2' long
GS-11L	Arm/Rod Set Replacement, 8' dia. (2) - 4' long
GS-12	Swivel Pin Replacement - Stainless Steel, Size 7-1/2" long
GS-13	Swivel Pin Replacement - Stainless Steel, Size 10" long

All Gullsweep models are easy to store away. Just fold up and put in a safe place when boating. See model GS-P - the Gullsweep Storage Pouch.

HANGING GULLSWEEP - HGS-1 Ideal for Sailboats

Goes in places bottom mounted Gullsweeps can't handle.



MODEL HGS-1

Full 6' revolution diameter

1" aluminum spring hook

Comes with

34" center support rod



Other Models Available (See Cover)

Light tether line (not included)

Our Largest Model HGS-1L has a 8' diameter

MODEL GS-SC



Use Mounting MODEL GS-SC with Hanging Gullsweep® -

Anodized aluminum stay clamp designed to keep a rope strung between the mast & stay. Clamp on stay, tie line above clamp.

Simply tie a line between the mast and the back or fore stay. Put a loop in the center of the line and hang the HGS-1 in place.

Make sure the Gullsweep® is high enough and centered to clear any obstacles.

To be sure the Gullsweep® stays vertical to the water in any heavy wind conditions, tie a loose, light line through the bottom eye and loop around the booms or a deck fitting.

The hanging Gullsweep® is also great to hang from any overhead supports. Check our website for more info; www.gullsweep.com.

Gullsweep is not just for Boats! It has many other uses.

- Screened Porch Pool Areas Billboards Gardens Walkways
- Docks / Bulk Heads Lighting Towers Outdoor Table-Tops And More!





When storing, always remove center support pin to avoid injury.

Easy Storage Gullsweeps fold with vanes over rods & parallel to each other.

Free Literature & Poster with Order!



AVAILABLE AT YOUR NEAREST MARINE DISTRIBUTOR!

FOR MORE INFORMATION OR TO LOCATE A DEALER NEAR YOU, CALL 201-670-0104



33 Greenwood Ave. • Midland Park, NJ phone: 201-670-0104 · fax: 201-445-8575

Check our website at:

www.gullsweep.com